


Pinnacle Impact Series

CLAD CASEMENT

EGRESS, LITE & VENT MEASUREMENTS / DESIGN PRESSURE VALUES

Egress, Lite and Vent Measurements -									
Size	Casement							Casement Picture	
	Egress Width Standard Hardware	Egress Width Egress Hardware	Egress Height	S.Q FT. Egress Standard Hardware	S.Q. FT. Egress Egress Hardware	Sq. Ft. Vent	S.Q. FT. Daylite	Size	S.Q. FT. Daylite
	Egress Openings								
1420	9.25		19.41	1.25		1.90	1.72	3232	6.57
1426	9.25		25.41	1.63		2.49	2.26	3238	7.63
1432	9.25		31.41	2.02		3.08	2.80	3244	9.13
1438	9.25		37.41	2.40		3.67	3.34	3250	10.41
1444	9.25		43.41	2.79		4.26	3.88	3256	11.69
1450	9.25		49.41	3.17		4.85	4.42	3262	12.97
1456	9.25		55.41	3.56		5.44	4.97	3268	14.25
1462	9.25		61.41	3.94		6.02	5.51		
1468	9.25		67.41	4.33		6.61	6.05	3832	7.85
1620	11.25		19.41	1.52		2.20	1.92	3838	9.38
1626	11.25		25.41	1.98		2.88	2.54	3844	10.91
1632	11.25		31.41	2.45		3.57	3.15	3850	12.44
1638	11.25		37.41	2.92		4.25	3.76	3856	13.97
1644	11.25		43.41	3.39		4.94	4.38	3862	15.5
1650	11.25		49.41	3.86		5.62	4.99	3868	17.04
1656	11.25		55.41	4.33		6.31	5.61		
1662	11.25		61.41	4.80		6.99	6.22	4432	9.13
1668	11.25		67.41	5.27		7.68	6.84	4438	10.91
2020	15.25	17.80	19.41	2.06	2.40	2.75	2.44	4444	12.69
2026	15.25	17.80	25.41	2.69	3.14	3.59	3.22	4450	14.47
2032	15.25	17.80	31.41	3.33	3.88	4.44	4.00	4456	16.25
2038	15.25	17.80	37.41	3.96	4.62	5.29	4.79	4462	18.04
2044	15.25	17.80	43.41	4.60	5.37	6.14	5.57	4468	19.82
2050	15.25	17.80	49.41	5.23	6.11	6.99	6.35		
2056	15.25	17.80	55.41	5.87	6.85	7.84	7.13		
2062	15.25	17.80	61.41	6.50	7.59	8.69	7.91		
2068	15.25	17.80	67.41	7.14	8.33	9.54	8.69		
2420	19.25	21.80	19.41	2.59	2.94	3.28	2.96		
2426	19.25	21.80	25.41	3.40	3.85	4.30	3.91		
2432	19.25	21.80	31.41	4.20	4.75	5.32	4.86		
2438	19.25	21.80	37.41	5.00	5.66	6.33	5.81		
2444*	19.25	21.80	43.41	5.80	6.57	7.35	6.75		
2450*	19.25	21.80	49.41	6.60	7.48	8.36	7.70		
2456*	19.25	21.80	55.41	7.41	8.39	9.38	8.65		
2462*	19.25	21.80	61.41	8.21	9.30	10.39	9.60		
2468*	19.25	21.80	67.41	9.01	10.20	11.41	10.55		
2620	21.25	23.80	19.41	2.86	3.21	3.55	3.22		
2626	21.25	23.80	25.41	3.75	4.20	4.65	4.25		
2632	21.25	23.80	31.41	4.63	5.19	5.75	5.29		
2638*	21.25	23.80	37.41	5.52	6.18	6.85	6.32		
2644*	21.25	23.80	43.41	6.41	7.17	7.95	7.35		
2650*	21.25	23.80	49.41	7.29	8.17	9.05	8.38		
2656*	21.25	23.80	55.41	8.18	9.16	10.15	9.41		
2662*	21.25	23.80	61.41	9.06	10.15	11.25	10.44		
2668*	21.25	23.80	67.41	9.95	11.14	12.35	11.47		
2820	23.25	25.80	19.41	3.13	3.48	3.55	3.48		
2826	23.25	25.80	25.41	4.10	4.55	4.65	4.60		
2832	23.25	25.80	31.41	5.07	5.63	5.75	5.71		
2838	23.25	25.80	37.41	6.04	6.70	6.85	6.83		
2844	23.25	25.80	43.41	7.01	7.78	7.95	7.94		
2850	23.25	25.80	49.41	7.98	8.85	9.05	9.06		
2856	23.25	25.80	55.41	8.95	9.93	10.15	10.17		
2862	23.25	25.80	61.41	9.92	11.00	11.25	11.29		
2868	23.25	25.80	67.41	10.88	12.08	12.35	12.40		
3220	27.25	29.80	19.41	3.67	4.02	4.32	4.09		
3226	27.25	29.80	25.41	4.81	5.26	5.66	5.38		
3232	27.25	29.80	31.41	5.94	6.5	7.06	6.57		
3238	27.25	29.80	37.41	7.08	7.74	8.41	7.85		
3244	27.25	29.80	43.41	8.21	8.98	9.76	9.13		
3250	27.25	29.80	49.41	9.35	10.23	11.11	10.41		
3256	27.25	29.80	55.41	10.49	11.47	12.46	11.69		
3262	27.25	29.80	61.41	11.62	12.71	13.81	12.97		
3268	27.25	29.80	67.41	12.76	13.95	15.15	14.25		



Clear opening must be 20" x 24" and 5.7 sq. ft. to meet Egress.

Egress Conversions		
Standard Hardware	Width	R.O. -9.50
	Height	R.O. -6.70
Egress Hardware	Width	R.O. - 6.95
	Height	R.O. -6.70

* These windows meet most egress requirements. Verify local and state requirements with your local building inspector