


# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 16" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	Rough Oppg.	Frame	Glass	16	16	16
3-1 1/4	3-1 1/4	3-0 3/4	14-14	 1614	 1614-2	 1614-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	 1616	 1616-2	 1616-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	 1620	 1620-2	 1620-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	 1622	 1622-2	 1622-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	 1624	 1624-2	 1624-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	 1626	 1626-2	 1626-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	 1628	 1628-2	 1628-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	 1630	 1630-2	 1630-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	 1632	 1632-2	 1632-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34	 1634	 1634-2	 1634-3

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

DIAMOND

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING










#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 16" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	Rough Oppg.	Frame	Glass			
6-9 1/4 6-9 1/4 6-8 3/4 36-36	1-9 7/8	1-9 7/8	1-9 3/8	16			
	3-7 1/4	3-7 1/4	3-6 3/4	16	1636	1636-2	1636-3
	5-4 5/8	5-4 5/8	5-4 1/8	16			
7-1 1/4 7-1 1/4 7-0 3/4 38-38	1-9 7/8	1-9 7/8	1-9 3/8	16			
	3-7 1/4	3-7 1/4	3-6 3/4	16	1638	1638-2	1638-3
	5-4 5/8	5-4 5/8	5-4 1/8	16			
7-5 1/4 7-5 1/4 7-4 3/4 40-40	1-9 7/8	1-9 7/8	1-9 3/8	16			
	3-7 1/4	3-7 1/4	3-6 3/4	16	1640	1640-2	1640-3
	5-4 5/8	5-4 5/8	5-4 1/8	16			

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series


## CLAD DOUBLE HUNG - 20" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	2-1 7/8	4-3 1/4	6-4 5/8
Rough Oppg.	2-1 7/8	4-3 1/4	6-4 5/8
Frame	2-1 3/8	4-2 3/4	6-4 1/8
Glass	20	20	20
3-1 1/4			
3-1 1/4	2014	2014-2	2014-3
3-5 1/4			
3-5 1/4	2016	2016-2	2016-3
4-1 1/4			
4-1 1/4	2020	2020-2	2020-3
4-5 1/4			
4-5 1/4	2022	2022-2	2022-3
4-9 1/4			
4-9 1/4	2024	2024-2	2024-3
5-1 1/4			
5-1 1/4	2026	2026-2	2026-3
5-5 1/4			
5-5 1/4	2028	2028-2	2028-3
5-9 1/4			
5-9 1/4	2030	2030-2	2030-3
6-1 1/4			
6-1 1/4	2032	2032-2	2032-3
6-5 1/4			
6-5 1/4	2034	2034-2	2034-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
 ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
 TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
 SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 20" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	Rough Oppg.	Frame	Glass			
6-9 1/4 6-9 1/4 6-8 3/4 36-36	2-1 7/8	2-1 7/8	2-1 3/8	20			
	4-3 1/4	4-3 1/4	4-2 3/4	20	2036	2036-2	2036-3
	6-4 5/8	6-4 5/8	6-4 1/8	20			
7-1 1/4 7-1 1/4 7-0 3/4 38-38							
					2038	2038-2	2038-3
7-5 1/4 7-5 1/4 7-4 3/4 40-40							
					2040	2040-2	2040-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ▣ ADD 2 13/16" TO FRAME WIDTH
  - ▣ ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG CASING**
- ▣ ADD 6 1/2" TO FRAME WIDTH
  - ▣ ADD 3 5/8" TO FRAME HEIGHT\*
- FOR CLAD FLAT CASING**
- ▣ ADD 5 7/8" TO FRAME WIDTH
  - ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:  
ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 24" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	Rough Oppg.	Frame	Glass	24	24	24
3-1 1/4	3-1 1/4	3-0 3/4	14-14			
				2414	2414-2	2414-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16			
				2416	2416-2	2416-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20			
				2420	2420-2	2420-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22			
				2422	2422-2	2422-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24			
				2424	2424-2	2424-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26			
				2426	2426-2	2426-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28			
				2428	2428-2	2428-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30			
				2430	2430-2	2430-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32			
				2432	2432-2	2432-3
6-5 1/4	6-5 1/4	6-4 3/4	34-34			
				2434	2434-2	2434-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 24" WIDE


ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

Masonry Oppg. 2-5 7/8  
Rough Oppg. 2-5 7/8  
Frame 2-5 3/8  
Glass 24


4-11 1/4  
4-11 1/4  
4-10 3/4  
24

7-4 5/8  
7-4 5/8  
7-4 1/8  
24


6-9 1/4  
6-9 1/4  
6-8 3/4  
36-36



2436




2436-2




2436-3


7-1 1/4  
7-1 1/4  
7-0 3/4  
38-38



2438




2438-2




2438-3


7-5 1/4  
7-5 1/4  
7-4 3/4  
40-40



2440



2440-2



2440-3

### OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:































MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 26" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	2-7 7/8	5-3 1/4	7-10 5/8
Rough Oppg.	2-7 7/8	5-3 1/4	7-10 5/8
Frame	2-7 3/8	5-2 3/4	7-10 1/8
Glass	26	26	26
3-1 1/4			
3-1 1/4	2614	2614-2	2614-3
3-5 1/4			
3-5 1/4	2616	2616-2	2616-3
4-1 1/4			
4-1 1/4	2620	2620-2	2620-3
4-5 1/4			
4-5 1/4	2622	2622-2	2622-3
4-9 1/4			
4-9 1/4	2624	2624-2	2624-3
5-1 1/4			
5-1 1/4	2626	2626-2	2626-3
5-5 1/4			
5-5 1/4	2628	2628-2	2628-3
5-9 1/4			
5-9 1/4	2630	2630-2	2630-3
6-1 1/4			
6-1 1/4	2632	2632-2	2632-3
6-5 1/4			
6-5 1/4	2634	2634-2	2634-3

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

DIAMOND

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 26" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)

SCALE: 1/8" = 1'-0"

	Masonry Oppg.	2-7 7/8	5-3 1/4	7-10 5/8
	Rough Oppg.	2-7 7/8	5-3 1/4	7-10 5/8
	Frame	2-7 3/8	5-2 3/4	7-10 1/8
	Glass	26	26	26
6-9 1/4				
6-9 1/4				
6-8 3/4				
36-36				
		2636	2636-2	2636-3
7-1 1/4				
7-1 1/4				
7-0 3/4				
38-38				
		2638	2638-2	2638-3
7-5 1/4				
7-5 1/4				
7-4 3/4				
40-40				
		2640	2640-2	2640-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
 ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
 TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
 SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.



# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 28" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	2-9 7/8	5-7 1/4	8-4 5/8
Rough Oppg.	2-9 7/8	5-7 1/4	8-4 5/8
Frame	2-9 3/8	5-6 3/4	8-4 1/8
Glass	28	28	28
3-1 1/4			
3-1 1/4	2814	2814-2	2814-3
3-5 1/4			
3-5 1/4	2816	2816-2	2816-3
4-1 1/4			
4-1 1/4	2820	2820-2	2820-3
4-5 1/4			
4-5 1/4	2822	2822-2	2822-3
4-9 1/4			
4-9 1/4	2824	2824-2	2824-3
5-1 1/4			
5-1 1/4	2826	2826-2	2826-3
5-5 1/4			
5-5 1/4	2828	2828-2	2828-3
5-9 1/4			
5-9 1/4	2830	2830-2	2830-3
6-1 1/4			
6-1 1/4	2832	2832-2	2832-3
6-5 1/4			
6-5 1/4	2834	2834-2	2834-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 28" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	2-9 7/8	5-7 1/4	8-4 5/8
	Rough Oppg.	2-9 7/8	5-7 1/4	8-4 5/8
	Frame	2-9 3/8	5-6 3/4	8-4 1/8
	Glass	28	28	28
6-9 1/4				
6-9 1/4		2836	2836-2	2836-3
6-8 3/4				
36-36				
7-1 1/4				
7-1 1/4		2838	2838-2	2838-3
7-0 3/4				
38-38				
7-5 1/4				
7-5 1/4		2840	2840-2	2840-3
7-4 3/4				
40-40				

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 30" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Opp.	Rough Opp.	Frame	Glass	3-2 2/4	6-1 7/8	8-11 1/4
3-1 1/4	3-1 1/4	3-0 3/4	14-14	3014	3014-2	3014-3
3-5 1/4	3-5 1/4	3-4 3/4	16-16	3016	3016-2	3016-3
4-1 1/4	4-1 1/4	4-0 3/4	20-20	3020	3020-2	3020-3
4-5 1/4	4-5 1/4	4-4 3/4	22-22	3022	3022-2	3022-3
4-9 1/4	4-9 1/4	4-8 3/4	24-24	3024	3024-2	3024-3
5-1 1/4	5-1 1/4	5-0 3/4	26-26	3026	3026-2	3026-3
5-5 1/4	5-5 1/4	5-4 3/4	28-28	3028	3028-2	3028-3
5-9 1/4	5-9 1/4	5-8 3/4	30-30	3030	3030-2	3030-3
6-1 1/4	6-1 1/4	6-0 3/4	32-32	3032	3032-2	3032-3
6-5 1/4	6-4 3/4	34-34	34-34	3034	3034-2	3034-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING










#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 30" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	3-2 2/4	6-1 7/8	8-11 1/4
	Rough Oppg.	2-11 7/8	5-11 1/4	8-10 5/8
	Frame	2-11 3/8	5-10 3/4	8-10 1/8
	Glass	30	30	30
6-9 1/4	6-9 1/4			
6-8 3/4	36-36	3036	3036-2	3036-3
7-1 1/4	7-1 1/4			
7-0 3/4	38-38	3038	3038-2	3038-3
7-5 1/4	7-5 1/4			
7-4 3/4	40-40	3040	3040-2	3040-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 32" WIDE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg.	3-1 7/8	6-3 1/4	9-4 5/8
Rough Oppg.	3-1 7/8	6-3 1/4	9-4 5/8
Frame	3-1 3/8	6-2 3/4	9-4 1/8
Glass	32	32	32
3-1 1/4	3214	3214-2	3214-3
3-5 1/4	3216	3216-2	3216-3
4-1 1/4	3220	3220-2	3220-3
4-5 1/4	3222	3222-2	3222-3
4-9 1/4	3224	3224-2	3224-3
5-1 1/4	3226	3226-2	3226-3
5-5 1/4	3228	3228-2	3228-3
5-9 1/4	3230	3230-2	3230-3
6-1 1/4	3232	3232-2	3232-3
6-5 1/4	3234	3234-2	3234-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 32" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	3-1 7/8	6-3 1/4	9-4 5/8
	Rough Oppg.	3-1 7/8	6-3 1/4	9-4 5/8
	Frame	3-1 3/8	6-2 3/4	9-4 1/8
	Glass	32	32	32
6-9 1/4				
6-9 1/4		3236	3236-2	3236-3
6-8 3/4				
36-36				
7-1 1/4				
7-1 1/4		3238	3238-2	3238-3
7-0 3/4				
38-38				
7-5 1/4				
7-5 1/4		3240	3240-2	3240-3
7-4 3/4				
40-40				

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series


## CLAD DOUBLE HUNG - 36" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)

SCALE: 1/8" = 1'-0"

Masonry Oppg.	3-5 7/8	6-11 1/4	10-4 5/8
Rough Oppg.	3-5 7/8	6-11 1/4	10-4 5/8
Frame	3-5 3/8	6-10 3/4	10-4 1/8
Glass	36	36	36
3-1 1/4			
3-1 1/4	3614	3614-2	3614-3
3-5 1/4			
3-5 1/4	3616	3616-2	3616-3
4-1 1/4			
4-1 1/4	3620	3620-2	3620-3
4-5 1/4			
4-5 1/4	3622	3622-2	3622-3
4-9 1/4			
4-9 1/4	3624	3624-2	3624-3
5-1 1/4			
5-1 1/4	3626	3626-2	3626-3
5-5 1/4			
5-5 1/4	3628	3628-2	3628-3
5-9 1/4			
5-9 1/4	3630	3630-2	3630-3
6-1 1/4			
6-1 1/4	3632	3632-2	3632-3
6-5 1/4			
6-5 1/4	3634	3634-2	3634-3

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.


# Pinnacle Impact Series

## CLAD DOUBLE HUNG - 36" WIDE

ELEVATIONS: (HVHZ UPGRADE ONLY)  
SCALE: 1/8" = 1'-0"

	Masonry Oppg.	3-5 7/8	6-11 1/4	10-4 5/8
	Rough Oppg.	3-5 7/8	6-11 1/4	10-4 5/8
	Frame	3-5 3/8	6-10 3/4	10-4 1/8
	Glass	36	36	36
6-9 1/4				
6-9 1/4		3636	3636-2	3636-3
6-8 3/4				
36-36				
7-1 1/4				
7-1 1/4		3638	3638-2	3638-3
7-0 3/4				
38-38				
7-5 1/4				
7-5 1/4		3640	3640-2	3640-3
7-4 3/4				
40-40				

### OTHER GRILLE PATTERNS



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ▣ ADD 5 7/8" TO FRAME WIDTH
- ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.



# Pinnacle Impact Series

## CLAD DOUBLE HUNG - ORIEL


### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
24-36

16/3624




3-7 1/4  
3-7 1/4  
3-6 3/4  
16

16/3624-2




5-4 5/8  
5-4 5/8  
5-4 1/8  
16

16/3624-3



### OTHER GRILLE PATTERNS



PRAIRIE



PLAZA



DIAMOND

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
24-36

20/3624




4-3 1/4  
4-3 1/4  
4-2 3/4  
20

20/3624-2



6-4 5/8  
6-4 5/8  
6-4 1/8  
20

20/3624-3



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
24-36

24/3624




4-11 1/4  
4-11 1/4  
4-10 3/4  
24

24/3624-2



7-4 5/8  
7-4 5/8  
7-4 1/8  
24


24/3624-3



Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
24-36

26/3624




5-3 1/4  
5-3 1/4  
5-2 3/4  
26

26/3624-2



7-10 5/8  
7-10 5/8  
7-10 1/8  
26

26/3624-3



Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
24-36

28/3624




5-7 1/4  
5-7 1/4  
5-6 3/4  
28

28/3624-2



8-4 5/8  
8-4 5/8  
8-4 1/8  
28

28/3624-3



#### NOTES:


MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series



## CLAD DOUBLE HUNG - ORIEL

### ELEVATIONS

SCALE: 1/8" = 1'-0"



### OTHER GRILLE PATTERNS




### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ▣ ADD 2 13/16" TO FRAME WIDTH
  - ▣ ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG CASING**
- ▣ ADD 6 1/2" TO FRAME WIDTH
  - ▣ ADD 3 5/8" TO FRAME HEIGHT\*
- FOR CLAD FLAT CASING**
- ▣ ADD 5 7/8" TO FRAME WIDTH
  - ▣ ADD 3 5/16" TO FRAME HEIGHT\*
- \* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING



### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - COTTAGE


### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
36-24

16/2436




3-7 1/4  
3-7 1/4  
3-6 3/4  
16

16/2436-2




5-4 5/8  
5-4 5/8  
5-4 1/8  
16

16/2436-3



### OTHER GRILLE PATTERNS



PRAIRIE



PLAZA




DIAMOND

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
36-24

20/2436




4-3 1/4  
4-3 1/4  
4-2 3/4  
20

20/2436-2



6-4 5/8  
6-4 5/8  
6-4 1/8  
20

20/2436-3



### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL


#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
36-24

24/2436




4-11 1/4  
4-11 1/4  
4-10 3/4  
24

24/2436-2



7-4 5/8  
7-4 5/8  
7-4 1/8  
24


24/2436-3



Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
36-24

26/2436




5-3 1/4  
5-3 1/4  
5-2 3/4  
26

26/2436-2



7-10 5/8  
7-10 5/8  
7-10 1/8  
26

26/2436-3



Masonry Opg.  
Rough Opg.  
Frame  
Glass


5-9 1/4  
5-9 1/4  
5-8 3/4  
36-24

28/2436




5-7 1/4  
5-7 1/4  
5-6 3/4  
28

28/2436-2



8-4 5/8  
8-4 5/8  
8-4 1/8  
28

28/2436-3



#### NOTES:


MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series



## CLAD DOUBLE HUNG - COTTAGE

### ELEVATIONS

SCALE: 1/8" = 1'-0"



### OTHER GRILLE PATTERNS




### UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
- ▣ ADD 2 13/16" TO FRAME WIDTH
  - ▣ ADD 1 3/4" TO FRAME HEIGHT\*
- FOR CLAD WILLIAMSBURG CASING**
- ▣ ADD 6 1/2" TO FRAME WIDTH
  - ▣ ADD 3 5/8" TO FRAME HEIGHT\*
- FOR CLAD FLAT CASING**
- ▣ ADD 5 7/8" TO FRAME WIDTH
  - ▣ ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

NOTE:  
ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING



NOTES:  
MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
SHADED SIZES MEET MOST EGRESS REQUIREMENTS VERIFY LOCAL CODES.

# Pinnacle Impact Series

## CLAD DOUBLE HUNG - PICTURE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Opp.	1-1 7/8	1-3 7/8	1-5 7/8	2-1 7/8	2-5 7/8	2-7 7/8	2-9 7/8	3-1 7/8	4-1 7/8	5-1 7/8	6-1 7/8
Rough Opp.	1-1 7/8	1-3 7/8	1-5 7/8	2-1 7/8	2-5 7/8	2-7 7/8	2-9 7/8	3-1 7/8	4-1 7/8	5-1 7/8	6-1 7/8
Frame	1-1 3/8	1-3 3/8	1-5 3/8	2-1 3/8	2-5 3/8	2-7 3/8	2-9 3/8	3-1 3/8	4-1 3/8	5-1 3/8	6-1 3/8
Glass	8	10	12	20	24	26	28	32	44	56	68
4-1 1/4											
4-5 1/4											
4-9 1/4											
5-1 1/4											
5-5 1/4											
5-9 1/4											
6-1 1/4											
6-5 1/4											

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
 ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
 ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE  
 MASONRY OPENING

### OTHER GRILLE PATTERNS



# Pinnacle Impact Series

## CLAD DOUBLE HUNG - PICTURE

### ELEVATIONS

SCALE: 1/8" = 1'-0"

	Masonry Oppg.	1-1 7/8	1-3 7/8	1-5 7/8	2-1 7/8	2-5 7/8	2-7 7/8	2-9 7/8	3-1 7/8	4-1 7/8
	Rough Oppg.	1-1 7/8	1-3 7/8	1-5 7/8	2-1 7/8	2-5 7/8	2-7 7/8	2-9 7/8	3-1 7/8	4-1 7/8
	Frame	1-1 3/8	1-3 3/8	1-5 3/8	2-1 3/8	2-5 3/8	2-7 3/8	2-9 3/8	3-1 3/8	4-1 3/8
	Glass	8	10	12	20	24	26	28	32	44
6-9 1/4	6-9 1/4									
	6-8 3/4	0874	1074	1274	2074	2474	2674	2874	3274	4474
	73 1/2									
7-1 1/4	7-1 1/4									
	7-0 3/4	0878	1078	1278	2078	2478	2678	2878	3278	4478
	77 1/2									
7-5 1/4	7-5 1/4									
	7-4 3/4	0882	1082	1282	2082	2482	2682	2882	3282	4482
	81 1/2									
7-9 1/4	7-9 1/4									
	7-8 3/4	0886	1086	1286	2086	2486	2686	2886	3286	4486
	85 1/2									
8-1 1/4	8-1 1/4									
	8-0 3/4	0890	1090	1290	2090	2490	2690	2890	3290	4490
	89 1/2									

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOUND

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING


- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
 ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.  
 ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE  
 MASONRY OPENING

### OTHER GRILLE PATTERNS



# Pinnacle Impact Series


## CLAD DOUBLE HUNG - TRANSOM

### ELEVATIONS

SCALE: 1/8" = 1'-0"

Masonry Oppg. Rough Oppg. Frame Glass	1-9 7/8	2-1 7/8	2-5 7/8	2-9 7/8	2-11 7/8	3-1 7/8	3-5 7/8	3-9 7/8	4-1 7/8
	1-9 7/8	2-1 7/8	2-5 7/8	2-9 7/8	2-11 7/8	3-1 7/8	3-5 7/8	3-9 7/8	4-1 7/8
1-9 3/8	2-1 3/8	2-5 3/8	2-9 3/8	2-11 3/8	3-1 3/8	3-5 3/8	3-9 3/8	4-1 3/8	4-1 3/8
17 3/8	21 3/8	25 3/8	29 3/8	31 3/8	33 3/8	37 3/8	41 3/8	45 3/8	45 3/8
1-0 1/2	1608	2008	2408	2808	3008	3208	3608	4008	4408
1-2 1/2	1610	2010	2410	2810	3010	3210	3610	4010	4410
1-4 1/2	1612	2012	2412	2812	3012	3212	3612	4012	4412
1-6 1/2	1614	2014	2414	2814	3014	3214	3614	4014	4414
2-0 1/2	1620	2020	2420	2820	3020	3220	3620	4020	4420
2-6 1/2	1626	2026	2426	2826	3026	3226	3626	4026	4426
3-0 1/2	1632	2032	2432	2832	3032	3232	3632	4032	4432

### OTHER GRILLE PATTERNS



PRAIRIE

PLAZA

PLAZA

### UNIT SIZE INFORMATION

#### FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 3/4" TO FRAME HEIGHT\*

#### FOR CLAD WILLIAMSBURG CASING

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 5/8" TO FRAME HEIGHT\*

#### FOR CLAD FLAT CASING

- ADD 5 7/8" TO FRAME WIDTH
- ADD 3 5/16" TO FRAME HEIGHT\*

\* ADD ADDITIONAL 7/8" FOR 1 1/4" SUBSILL  
ADD ADDITIONAL 1 7/8" FOR 2 1/4" SUBSILL

#### NOTE:

ADD 1/2" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT  
TO CALCULATE MASONRY OPENING

#### NOTES:

MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING.