

Revive Series

CLAD DOUBLE HUNG SASH REPLACEMENT KIT


EGRESS, LITE & VENT MEASUREMENTS

Egress, Lite and Vent Measurements -				
Double Hung				
Size	Egress Width	Egress Height	S.Q. FT. Egress	S.Q. FT. Daylite
1614	18.00	14.00	1.75	2.68
1616	18.00	16.00	2.00	3.13
1620	18.00	20.00	2.50	3.96
1622	18.00	22.00	2.75	4.38
1624	18.00	24.00	3.00	4.79
1626	18.00	26.00	3.25	5.21
1628	18.00	28.00	3.50	5.63
1630	18.00	30.00	3.75	6.04
1632	18.00	32.00	4.00	6.46
1634	18.00	34.00	4.25	6.88
1636	18.00	36.00	4.50	7.29
2014	22.00	14.00	2.14	3.40
2016	22.00	16.00	2.44	3.96
2020	22.00	20.00	3.06	5.01
2022	22.00	22.00	3.36	5.54
2024	22.00	24.00	3.67	6.07
2026	22.00	26.00	3.97	6.60
2028	22.00	28.00	4.28	7.13
2030	22.00	30.00	4.58	7.65
2032	22.00	32.00	4.89	8.18
2034	22.00	34.00	5.19	8.71
2036	22.00	36.00	5.50	9.24
2414	26.00	14.00	2.53	4.12
2416	26.00	16.00	2.89	4.79
2420	26.00	20.00	3.61	6.07
2422	26.00	22.00	3.97	6.71
2424	26.00	24.00	4.33	7.35
2426	26.00	26.00	4.69	7.99
2428	26.00	28.00	5.06	8.63
2430	26.00	30.00	5.42	9.26
2432	26.00	32.00	5.75	9.90
2434	26.00	34.00	6.14	10.54
2436	26.00	36.00	6.50	11.18
2814	30.00	14.00	2.92	4.80
2816	30.00	16.00	3.33	5.63
2820	30.00	20.00	4.17	7.13
2822	30.00	22.00	4.58	7.88
2824	30.00	24.00	5.00	8.63
2826	30.00	26.00	5.42	9.38
2828	30.00	28.00	5.83	10.13
2830	30.00	30.00	6.25	10.88
2832	30.00	32.00	6.67	11.63
2834	30.00	34.00	7.08	12.38
2836	30.00	36.00	7.50	13.13
3214	34.00	14.00	3.31	5.51
3216	34.00	16.00	3.78	6.46
3220	34.00	20.00	4.72	8.18
3222	34.00	22.00	5.19	9.04
3224	34.00	24.00	5.70	9.90
3226	34.00	26.00	6.14	10.76
3228	34.00	28.00	6.61	11.63
3230	34.00	30.00	7.08	12.49
3232	34.00	32.00	7.56	13.35
3234	34.00	34.00	8.03	14.21
3236	34.00	36.00	8.50	15.07

Shaded sizes meet most egress requirements. Verify local and state requirements.

Egress, Lite and Vent Measurements -				
Double Hung				
Size	Egress Width	Egress Height	S.Q. FT. Egress	S.Q. FT. Daylite
3614	38.00	14.00	3.69	6.23
3616	38.00	16.00	4.22	7.29
3620	38.00	20.00	5.28	9.24
3622	38.00	22.00	5.81	10.21
3624	38.00	24.00	6.33	11.18
3626	38.00	26.00	6.86	12.15
3628	38.00	28.00	7.39	13.13
3630	38.00	30.00	7.92	14.10
3632	38.00	32.00	8.44	15.07
3634	38.00	34.00	8.97	16.04
3636	38.00	36.00	9.50	17.01
Cottage Units				
162436	18.00	24.00	3.00	6.04
202436	22.00	24.00	3.67	7.65
242436	26.00	24.00	4.33	9.26
282436	30.00	24.00	5.00	10.88
322436	34.00	24.00	5.70	12.49
362436	38.00	24.00	6.33	14.10
Oriel Units				
163624	18.00	24.00	3.00	6.04
203624	22.00	24.00	3.67	7.65
243624	26.00	24.00	4.33	9.26
283624	30.00	24.00	5.00	10.88
323624	34.00	24.00	5.70	12.49
363624	38.00	24.00	6.33	14.10

Shaded sizes meet most egress requirements. Verify local and state requirements.



Clear Opening must be 20" x 24" and 5.7 sq.ft. to meet egress

Egress Conversions	
Width	= Glass + 2
Height	= Glass Height