

Pinnacle Series

PATIO DOOR - FRENCH SLIDER

ELEVATIONS
SCALE: 1/8" = 1'-0"

	2-10 3/4	5-1 3/4	7-9 3/4	9-11 5/16
Mas. Opq. Primed	2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
Mas. Opq. Clad	2-8 3/4	4-11 3/4	7-7 3/4	9-9 5/16
Rough Opq.	2-8	4-11	7-7	9-8 9/16
Frame	21 1/4	21 1/4	21 1/4	21 1/4
Glass				
6-9				
6-8				
6-8				
6-7 1/2				
6-4				
	2668-S	5068-OX	7668-OX/S	10068-OXXO
7-0				
6-11				
6-11				
6-10 1/2				
6-7				
	26610-S	50610-OX	76610-OX/S	100610-OXXO
8-1				
8-0				
8-0				
7-11 1/2				
8-0				
	2680-S	5080-OX	7680-OX/S	10080-OXXO
9-0				
9-0				
8-11 1/2				
9-2				
	2690-S (CLAD ONLY)	5090-OX (CLAD ONLY)		
10-0				
10-0				
9-11 1/2				
10-4				
	26100-S (CLAD ONLY)	50100-OX (CLAD ONLY)		

UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ▣ ADD 2 13/16" TO FRAME WIDTH
- ▣ ADD 1 13/32" TO FRAME HEIGHT

FOR CLAD WILLIAMSBURG

- ▣ ADD 6 1/2" TO FRAME WIDTH
- ▣ ADD 3 1/4" TO FRAME HEIGHT

FOR PRIMED WM-180

- ▣ ADD 2" TO FRAME WIDTH
- ▣ ADD 1" TO FRAME HEIGHT

FOR PRIMED 3 1/2" FLAT CASING

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 2 1/2" TO FRAME HEIGHT

FOR PRIMED 4 1/2" BACKBAND

- ▣ ADD 7 1/32" TO FRAME WIDTH
- ▣ ADD 3 1/2" TO FRAME HEIGHT

FOR PRIMED 5 1/2" FLAT CASING

- ▣ ADD 9 1/32" TO FRAME WIDTH
- ▣ ADD 4 1/2" TO FRAME HEIGHT

FOR PRIMED WILLIAMSBURG

- ▣ ADD 5 17/32" TO FRAME WIDTH
- ▣ ADD 2 1/4" TO FRAME HEIGHT


FOR PRIMED PLANTATION

- ▣ ADD 5 1/32" TO FRAME WIDTH
- ▣ ADD 5 1/2" TO FRAME HEIGHT

NOTE:

ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT TO CALCULATE MASONRY OPENING

OTHER GRILLE PATTERNS



PRAIRIE

DIAMOND

SINGLE PLAZA

DOUBLE PLAZA

TRIPLE PLAZA

NOTES:

CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING
PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD

Pinnacle Series

PATIO DOOR - FRENCH SLIDER

ELEVATIONS

SCALE: 1/8" = 1'-0"


Mas. Oppg. Primed
 Mas. Oppg. Clad
 Rough Oppg.
 Frame
 Glass

3-4 3/4
 3-2 3/4
 3-2 3/4
 3-2
 27 1/4


6-1 3/4
 5-11 3/4
 5-11 3/4
 5-11
 27 1/4

9-3 3/4
 9-1 3/4
 9-1 3/4
 9-1
 27 1/4

11-11 5/16
 11-9 5/16
 11-9 5/16
 11-8 9/16
 27 1/4



OTHER GRILLE PATTERNS



UNIT SIZE INFORMATION

FOR CLAD BRICKMOULD

- ADD 2 13/16" TO FRAME WIDTH
- ADD 1 13/32" TO FRAME HEIGHT

FOR CLAD WILLIAMSBURG

- ADD 6 1/2" TO FRAME WIDTH
- ADD 3 1/4" TO FRAME HEIGHT

FOR PRIMED WM-180

- ADD 2" TO FRAME WIDTH
- ADD 1" TO FRAME HEIGHT

FOR PRIMED 3 1/2" FLAT CASING

- ADD 5 1/32" TO FRAME WIDTH
- ADD 2 1/2" TO FRAME HEIGHT

FOR PRIMED 4 1/2" BACKBAND

- ADD 7 1/32" TO FRAME WIDTH
- ADD 3 1/2" TO FRAME HEIGHT

FOR PRIMED 5 1/2" FLAT CASING

- ADD 9 1/32" TO FRAME WIDTH
- ADD 4 1/2" TO FRAME HEIGHT

FOR PRIMED WILLIAMSBURG

- ADD 5 17/32" TO FRAME WIDTH
- ADD 2 1/4" TO FRAME HEIGHT

FOR PRIMED PLANTATION

- ADD 5 1/32" TO FRAME WIDTH
- ADD 5 1/2" TO FRAME HEIGHT

NOTE:
 ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
 TO CALCULATE MASONRY OPENING

NOTES:
 CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING
 PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD

Pinnacle Series


PATIO DOOR - FRENCH SLIDER

ELEVATIONS

SCALE: 1/8" = 1'-0"

Mas. Opp. Primed
 Mas. Opp. Clad
 Rough Opp.
 Frame
 Glass

4-4 3/4	8-1 3/4	12-3 3/4	15-11 5/16
4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
4-2 3/4	7-11 3/4	12-1 3/4	15-9 5/16
4-2	7-11	12-1	15-8 9/16
39 1/4	39 1/4	39 1/4	39 1/4




UNIT SIZE INFORMATION

- FOR CLAD BRICKMOULD**
 - ▣ ADD 2 13/16" TO FRAME WIDTH
 - ▣ ADD 1 13/32" TO FRAME HEIGHT
- FOR CLAD WILLIAMSBURG**
 - ▣ ADD 6 1/2" TO FRAME WIDTH
 - ▣ ADD 3 1/4" TO FRAME HEIGHT
- FOR PRIMED WM-180**
 - ▣ ADD 2" TO FRAME WIDTH
 - ▣ ADD 1" TO FRAME HEIGHT
- FOR PRIMED 3 1/2" FLAT CASING**
 - ▣ ADD 5 1/32" TO FRAME WIDTH
 - ▣ ADD 2 1/2" TO FRAME HEIGHT
- FOR PRIMED 4 1/2" BACKBAND**
 - ▣ ADD 7 1/32" TO FRAME WIDTH
 - ▣ ADD 3 1/2" TO FRAME HEIGHT
- FOR PRIMED 5 1/2" FLAT CASING**
 - ▣ ADD 9 1/32" TO FRAME WIDTH
 - ▣ ADD 4 1/2" TO FRAME HEIGHT
- FOR PRIMED WILLIAMSBURG**
 - ▣ ADD 5 17/32" TO FRAME WIDTH
 - ▣ ADD 2 1/4" TO FRAME HEIGHT
- FOR PRIMED PLANTATION**
 - ▣ ADD 5 1/32" TO FRAME WIDTH
 - ▣ ADD 5 1/2" TO FRAME HEIGHT

NOTE:
 ADD 3/4" TO UNIT WIDTH & 1/2" TO UNIT HEIGHT
 TO CALCULATE MASONRY OPENING

OTHER GRILLE PATTERNS



NOTES:
 CLAD MASONRY OPENINGS ARE FOR STANDARD FRAME WITH NO CASING
 PRIMED MASONRY OPENINGS ARE FOR STANDARD 180 BRICKMOULD